

# CERFA : Generating CERFAs

## Features

This extension lets you create CERFAs pre-filled with customer information from an invoice. These CERFAs can then be modified, saved or printed.

Four documents are currently available:

- the **CERFA n°13948 Attestation simplifiée** also known as **CERFA n°1301** (simplified certificate)
- **CERFA no. 13408**
- the **PV Réception Travaux** (Works Acceptance Report)
- the **reservations lifting form** for the Works Acceptance Report
- and **CERFA 15497**.

If you wish to include other CERFAs in the extension, please send your request to **dev@gestan.fr**.

## Prerequisites

This extension works on Windows and Linux platforms, but not on Mac!

Before you can use it, you need to install the Java libraries, which you can find on [this page](#).

On the download page, choose the 64-bit “offline” versions for your particular platform, Windows or Linux. Below is the download page and the programs to download.

|  Windows  Which download should I choose?      |                                                                |                              |                                                                                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|------------------------------|------------------------------------------------------------------------------------------------------|
|                                                                                                                                   | <a href="#">Windows Online</a><br>filesize: 2.26 MB            | <a href="#">Instructions</a> | After installing Java, you may need to restart your browser in order to enable Java in your browser. |
|                                                                                                                                   | <a href="#">Windows Offline</a><br>filesize: 2.26 MB           | <a href="#">Instructions</a> |                                                                                                      |
|                                                                                                                                   | <a href="#">Windows Offline (64-bit)</a><br>filesize: 38.41 MB | <a href="#">Instructions</a> |                                                                                                      |
| If you use 32-bit and 64-bit browsers interchangeably, you will need to install both 32-bit and 64-bit Java in order to have the Java plug-in for both browsers. » <a href="#">FAQ about 64-bit Java for Windows</a> |                                                                |                              |                                                                                                      |

|                                                                                         |                                                  |                              |                                                                      |
|-----------------------------------------------------------------------------------------|--------------------------------------------------|------------------------------|----------------------------------------------------------------------|
|  Linux |                                                  |                              |                                                                      |
|        | <a href="#">Linux RPM</a> filesize: 51.07 MB     | <a href="#">Instructions</a> | After installing Java, you will need to enable Java in your browser. |
|        | <a href="#">Linux</a> filesize: 48.03 MB         | <a href="#">Instructions</a> |                                                                      |
|        | <a href="#">Linux x64</a> filesize: 45.04 MB     | <a href="#">Instructions</a> |                                                                      |
|        | <a href="#">Linux x64 RPM</a> filesize: 48.19 MB | <a href="#">Instructions</a> |                                                                      |

 If, despite installing Java, you get an error from the **JavaCharge** function, check your version of Microsoft Visual C++ Redistributable. If you have a version prior to 2015, you can download the latest version by following [this link](#).

## Latest Microsoft Visual C++ Redistributable version

The latest version is `v14.44.35211.0`

Use the following links to download this version for each supported architecture:

 **Expand table**

| Architecture | Link                                                                                                            | Notes                                                                                                                                                                                                                                                    |
|--------------|-----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ARM64        | <a href="https://aka.ms/vs/17/release/vc_redist.arm64.exe">https://aka.ms/vs/17/release/vc_redist.arm64.exe</a> | Permalink for latest supported ARM64 version                                                                                                                                                                                                             |
| X86          | <a href="https://aka.ms/vs/17/release/vc_redist.x86.exe">https://aka.ms/vs/17/release/vc_redist.x86.exe</a>     | Permalink for latest supported x86 version                                                                                                                                                                                                               |
| X64          | <a href="https://aka.ms/vs/17/release/vc_redist.x64.exe">https://aka.ms/vs/17/release/vc_redist.x64.exe</a>     | Permalink for latest supported x64 version. The X64 Redistributable package contains both ARM64 and X64 binaries. This package makes it easy to install required Visual C++ ARM64 binaries when the X64 Redistributable is installed on an ARM64 device. |

Download other versions, including long term servicing release channel (LTSC) versions, from [my.visualstudio.com](https://my.visualstudio.com).

## Use

**Access :** *Tools → Office automation → Create a Cerfa*

The screenshot shows the 'Cerfa creation' window. At the top, there's a 'Type of CERFA form' dropdown set to 'CERFAN°13948\*06 or n°1301'. Below this is a toolbar with 'View', 'Find', and 'Edit' menus. The toolbar includes buttons for 'Print', 'Save', 'Copy', '100%', 'Page width', 'Entire page', 'Zoom' (with a slider set to 100%), 'A page', 'Two pages', 'Thumbnails pane', 'Cover page', '1 / 4', and 'Tools'. The main area displays a form titled 'ATTESTATION SIMPLIFIÉE' from the 'DIRECTION GÉNÉRALE DES FINANCES PUBLIQUES'. The form includes the French Republic logo and the text 'Liberté Égalité Fraternité'. It contains two main sections: '① IDENTITÉ DU CLIENT OU DE SON REPRÉSENTANT' and '② NATURE DES LOCAUX'. The first section has fields for 'Je soussigné(e) :', 'Nom : LEUZE', 'Prénom : Lara', 'Adresse : 18, ter. rue Maurice Barrès', 'Code postal : 08000', and 'Commune : CHARLEVILLE MEZIERES'. The second section has a checkbox for 'maison ou immeuble individuel', 'immeuble collectif', and 'appartement individuel', and a text area for 'Les travaux sont réalisés dans :'. The bottom of the window has a 'Save' button with a '2' icon and a 'Close' button.

The Combo 1 allows you to select the type of CERFA to be completed. Selecting the CERFA allows you to select the Gestan document concerned, usually a customer invoice. The screen then displays the CERFA in the field provided. The document can then be modified until the CERFA is saved or printed.

The resulting PDF document can be printed and saved locally using the buttons linked to the PDF. The 2 button is used to save the document in the customer's documents in Gestan. The CERFA will then appear in the list of linked documents.

**CERFA creation**

Type of CERFA form: **CERFAN°15497\*04**

View Find Edit

Print Save Copy 100% Page width Entire page Zoom 100%

A page Two pages Thumbnails pane 1 / 1 Tools

General Clipboard Zoom Display mode Pages

### FICHE D'INTERVENTION

pour les opérations nécessitant une manipulation de fluides frigorigènes fluorés effectuées sur un équipement thermodynamique, prévue à l'article R. 543-82 du code de l'environnement et pour les contrôles d'étanchéité prévus au R. 543-79 du même code

N° 15497\*04

|                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                               |
|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| Fiche N° :                                                   | [1] OPERATEUR (Nom, adresse et SIRET) :<br>SOFAR<br>88 avenue des ternes 75017 PARIS                                                                                                                                                                                                                                                                                                                                                                    | [2] DETENUEUR (Nom, adresse et SIRET) :<br>ANTIKOR<br>18 ter rue Maurice Barrès<br>08000 CHARLEVILLE MEZIERES |
|                                                              | N° d'attestation de capacité :                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                               |
| [3] Équipement concerné :                                    | Identification :                                                                                                                                                                                                                                                                                                                                                                                                                                        | Dénomination du fluide : R-<br>Charge totale : kg<br>Tonnage équivalent CO2 : t.éq.CO2                        |
| [4] Nature de l'intervention : cocher une ou plusieurs cases | <input type="checkbox"/> Assemblage de l'équipement<br><input type="checkbox"/> Mise en service de l'équipement<br><input type="checkbox"/> Modification de l'équipement<br><input type="checkbox"/> Maintenance de l'équipement<br><input type="checkbox"/> Contrôle d'étanchéité périodique<br><input type="checkbox"/> Contrôle d'étanchéité non périodique<br><input type="checkbox"/> Démantèlement<br><input type="checkbox"/> Autre (préciser) : |                                                                                                               |
| Contrôle d'étanchéité                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Identification                                                                                                |
| (5) Détecteur manuel de fuite :                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Contrôlé le                                                                                                   |

---

Printed on 2026/09/20 12:49

- A link to any CERFA leaflet
- A link to any attached sheets

These are additional documents found on the [service public entreprise](#) and [service public particuliers](#) websites. The icon therefore only appears on CERFAs where additional documents are available. Hovering over the icon displays details of these documents.

**CERFA creation**

Type of CERFA form: CERFA n° 15497\*04

View Find Edit Information leaflet

Print Save Copy 100% Page width Entire page 100% A page Two pages Thumbnails pane 1 / 1 Tools

General Clipboard Zoom Display mode Pages

**FICHE D'INTERVENTION**  
pour les opérations nécessitant une manipulation de fluides frigorigènes fluorés effectuées sur un équipement thermodynamique, prévue à l'article R. 543-82 du code de l'environnement et pour les contrôles d'étanchéité prévus au R. 543-79 du même code

Fiche N° : [1] OPERATEUR (Nom, adresse et SIRET) : [2] DETENTEUR (Nom, adresse et SIRET) :

SOFAR 88 avenue des termes 75017 PARIS ANTIKOR 18 ter rue Maurice Barrès 08000 CHARLEVILLE MEZIERES

N° d'attestation de capacité : [ ]

[3] Équipement concerné : Identification : Dénomination du fluide : R- [ ] Charge totale : [ ] kg Tonnage équivalent CO2 : [ ] t.ég.CO2

[4] Nature de l'intervention : cocher une ou plusieurs cases

☐ Assemblage de l'équipement ☐ Contrôle d'étanchéité périodique ☐ Mise en service de l'équipement ☐ Contrôle d'étanchéité non périodique ☐ Modification de l'équipement ☐ Démantèlement ☐ Maintenance de l'équipement ☐ Autre (préciser) : [ ]

Contrôle d'étanchéité Identification Contrôlé le

[5] Détecteur manuel de fuite : [ ]

Save Close

✿ You can add a signature directly to the document by using the edit tab and then Handwritten signature. You will then have the choice of drawing, typing or selecting the image of the signature you want.

## Versions

| Version    | Date     | Observations                                                                   |
|------------|----------|--------------------------------------------------------------------------------|
| 3.A1.01.01 | 09/07/25 | Migration to A1 format                                                         |
| 3.15.46.02 | 18/02/25 | Update of CERFA 13408                                                          |
| 3.15.45.03 | 31/07/24 | Correction of PV de Réception travaux                                          |
| 3.15.45.02 | 12/07/24 | Update of CERFA 13408 and 15497                                                |
| 3.15.45.01 | 26/06/24 | Update of CERFA 13948 (or 1301)                                                |
| 3.15.43.03 | 21/02/24 | Integration of PVs de Réception travaux and CERFA 15497, Update of CERFA 13408 |
| 3.15.43.02 | 05/01/24 | Integration of CERFAs 13948 and 13408                                          |
| 3.15.43.00 | 15/12/23 | First production version                                                       |

## Other 'Extensions' articles

AMAZON: Amazon Interface  
CAISSEACT Touchscreen till (configuration)  
CERFA : Generating CERFAs  
COMMISSIONSCO: Sales commissions  
CYBERBANQUE: Integration of banking files  
DRM: Monthly Summary Declaration  
EBAY: eBay Interface  
ETIQUEXPED: Shipping labels  
INTEROR: repair orders (RO)  
OBJVENTE: Sales targets  
PREPBON: Picking slips  
PRESTIMPORT: Prestashop Interface  
RELAUTO: Automatic mass invoice reminders  
SAVTICKET: After-sales service tickets  
SCAN: Scanning a barcode  
SUIVCOM: Order Tracking

From:

<https://manuel.gestan.fr/> - **Le manuel de Gestan**

Permanent link:

<https://manuel.gestan.fr/en/addons/cerfa?rev=1755699457>

Last update: **2025/08/20 16:17**